TIP-ON for TANDEM plus



A simple touch on the drawer front is all that is required to open the drawer.

Drawers that open with just a simple touch

With TIP-ON for TANDEM plus, the new opening feature for drawers without pulls, you are assured of proven Blum quality, comfort and running action in any drawer. Just a simple touch of the drawer front opens the drawer effortlessly.

Subject to technical modifications without notice. © 2007 Printed in the USA 4056.04.07
www.cabinetparts.com

Features

- Works for both frame and panel cabinet applications
- Works with TANDEM plus runners without BLUMOTION
- Simple tool-free attachment to the runner
- Easy depth adjustment with drawer installed

Benefits

- Quick and easy installation
- Increases your design options
- Variety of adjustments allow a perfect installation every time
- Can be retrofitted to existing TANDEM plus runners
- Requires only a minimal force to open and close



Minimal gap



Even a drawer front gap of just 2.5 mm (3/32”) is enough.

Assembly

TIP-ON is designed for TANDEM plus full extension runners without BLUMOTION. Assembly of all TIP-ON parts is tool-free.

Adjustment

With the integrated depth adjustment, you can set the depth position of the drawer front exactly - even when retrofitting existing drawers.

Subject to technical modifications without notice. © 2007
Printed in the USA 4056.04.07
www.cabinetparts.com

TIP-ON for TANDEM plus

Supplement to
TANDEM
4026.05.06

Overlay application



Description

- Designed for drawers without pulls
- Opens the drawer with just a touch of the drawer front
- Tool-free attachment of mechanism and trigger to the cabinet profile
- Performs best with loads up to 45 lbs.
- Only works with TANDEM plus 562 H/F series runners without BLUMOTION

Basic components



TIP-ON set



One set required per drawer

Package contains:
1 2 x TIP-ON mechanisms
2 2 x adjustable triggers
3 2 x rear hook spacers

TIP-ON set **T55.7150**

Assembly and adjustment

Attachment of mechanism



Attachment of trigger



Attachment of rear hook spacer



Adjustment



Trigger allows in (-3) and out (+2) adjustment of the drawer front.

Cabinetparts.com

Installation

TANDEM 562H dimensions



TANDEM 562F dimensions



Minimum front gap



Drawer back preparation



Cabinetparts.com

Dimensions in millimeters (inch equivalents as noted)
Subject to technical modifications without notice. © 2007